

11. The device according to claim 1, wherein two ultrasonic transducers, preferably a transmitter transducer and a receiver transducer, being provided.

12. The device according to claim 1, wherein said medium into which the ultrasonic waves couple in being a solid body.

13. The device according to claim 1, wherein said medium into which the ultrasonic waves couple in being biological tissue.


REMARKS

The claims have been amended to remove multiple dependent claims prior to calculation of the filing fee.

Please charge any shortage in fees due in connection with the filing of this paper, or credit any overpayment of fees, to the deposit account of Antonelli, Terry, Stout & Kraus, LLP, Deposit Account No. 01-2135 (785.39987X00).

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP



Donald E. Stout
Registration No. 26,422

DES:pc
(703) 312-6600

Attachment

MARKED-UP ORIGINAL CLAIMS

3. The device according to claim 1 ~~or 2~~, wherein said flow of gas being air, preferably compressed air.

4. The device according to ~~one of the claims 1 to 3~~, claim 1, wherein a compressed-air line being connected to said first opening.

5. The device according to ~~one of the claims 2 to 4~~, claim 2, wherein said housing having a surface, which is provided with at least said second opening, facing said boundary surface.

7. The device according to ~~one of the claims 1 to 6~~, claim 1, wherein sound-conducting means for deflecting and/or concentrating ultrasonic waves being provided inside said closed volume.

9. The device according to ~~claim 7 or 8~~, claim 7, wherein a funnel-shaped sound-conducting means being provided which leads said ultrasonic waves from said ultrasonic transducer to an opening in such a manner that said ultrasonic waves pass through said opening as unimpeded as possible by the gas flow.

10. The device according to ~~one of the claims 5 to 9~~, claim 5, wherein said flow of gas passing through said opening facing said boundary surface flowing between the upper side of said housing facing said boundary surface and said

09856843-052501

boundary surface flowing radially in relation to said opening to the outside, with ~~an~~ a vacuum developing which draws said housing toward said boundary surface to such a degree until a kind of gas cushion is created having a thickness at which the forces of attraction being created by said vacuum and the immanent forces of repulsion present due to the mass impulse of the flow of gas between said housing and said boundary surface are in equilibrium.

11. The device according to ~~one of the claims 1 to 10,~~ claim 1, wherein two ultrasonic transducers, preferably a transmitter transducer and a receiver transducer, being provided.

12. The device according to ~~one of the claims 1 to 11,~~ claim 1, wherein said medium into which the ultrasonic waves couple in being a solid body.

13. The device according to ~~one of the claims 1 to 12,~~ claim 1, wherein said medium into which the ultrasonic waves couple in being biological tissue.